



3 year guarantee / Garantie 3 ans


PITAGOR

CE 0082

EN 1497 : 2007

EN 1498 : 2006 classe B

Rescue triangle
Triangle d'évacuation avec bretelles



WARNING / ATTENTION

Activities involving the use of this equipment are inherently dangerous. You are responsible for your own actions and decisions.

Before using this equipment, you must:

- Read and understand all instructions for Use.
- Get specific training in its proper use.
- Become acquainted with its capabilities and limitations.
- Understand and accept the risks



FAILURE TO HEED ANY OF THESE WARNINGS MAY RESULT IN SEVERE INJURY OR DEATH.



LE NON-RESPECT D'UN SEUL DE CES AVERTISSEMENTS PEUT ÊTRE LA CAUSE DE BLESSURES GRAVES OU MORTELLES.




C80 BR

Triangle PITAGOR
rescue triangle PITAGOR



3 342540 023611

Traceability and markings Traçabilité et marquage



PETZL.COM



Latest version
Dernière version



Other languages
Autres langues



Technical tips
Conseils techniques



PPE checking
Fiche de contrôle EPI

Warning symbols
Panneaux d'alertes




PETZL
F-38920 Crolles
Cidex 105A
PETZL.COM
ISO 9001 © Petzl
Made in Romania




Sustaining our Community
Au service de la Communauté
FONDATION-PETZL.ORG

1. Field of application (text part)
Champ d'application (partie texte)

2. Nomenclature





3. Inspection, points to verify
Contrôle, points à vérifier







4. Compatibility (text part)
Compatibilité (partie texte)

5. Putting on the triangle
Mise en place du triangle




Size / Taille

D 60 - 110 cm
24 - 43 inch



6. Descent Descente



7. Additional information Informations complémentaires

A. Lifetime / Durée de vie

Serial n° / N° de série
00 XX XX XX + 10 years
ans

B. Markings Marquage



C. Acceptable T° T° tolérées

+ 80°C / + 176°F
- 40°C / - 40°F

F. Drying / Séchage

+ 30°C maxi.
+ 86°F maxi.



G. Storage - Transport Stockage - transport

+ 30°C / + 86°F
+ 10°C / + 50°F



D. Precautions for use / Précautions d'usage



E. Cleaning - Disinfection / Nettoyage - Désinfection



H. Modifications - Repairs Modifications - Réparations



I. FAQ - Contact Questions - Contact

