


Thanks to their ergonomic features, our life jackets guarantee an optimal position in the water and great stability. In addition, the vests offer enough buoyancy to rotate and tilt an unconscious person, so as to always keep the airway out of the water.

Spin - tilt



HARNESS AND ACCESSORIES

Device compatible with most fall-protection harnesses, which can be attached using dedicated fittings and worn comfortably.

ANTI-TRAUMA SUSPENSION


Device designed to reduce the negative effects of suspension trauma in the event of a fall, by connecting the straps contained within the pouches.

It can be integrated with any harness strap.

Compatible with our fall-protection harness system and with most certified harnesses.



ANTI-SUSPENSION TRAUMA



Single flotation chamber for ISO dual-compartment SOLAS life jackets, featuring the X3D single-compartment rotation system in PA 420 PU-coated fabric with electronically-controlled high-frequency welds. Designed to follow the body's ergonomics and optimise positioning in the water. Thanks to its distinctive V-shape, this ensures immediate rotation of the body and, with the "fin" structure at the nape of the neck, provides excellent support and perfect head stability for the wearer. The design of this chamber guarantees the best height of the airway above water in the inflatable life jacket category.

ACTIVATION SYSTEMS

- Automatic - Upon falling into the sea, the system is submerged and automatically inflates the flotation chamber within 5 seconds. Automatic activation is possible using the UML MK5 or HAMMAR saline actuator, through the dissolution of a water-soluble tablet, or via the HAMMAR hydrostatic system.
- Manual - The system is activated by pulling the designated lever. It is supplied with the UML MICROMANUAL or HAMMAR manual actuator and is activated exclusively by hand.
- Oral - This type of inflation occurs through the dedicated mouth tube with non-return valve and protective cap. To inflate the chamber, simply blow into the mouth tube.

Reflective tape

Mouth tube

Actuator

LED light

SOLAS CHAMBER

ISO CHAMBER

	Double crotch strap 09150
	The use of this accessory improves the tilt, stability and positioning of the body in the water.
	Whistle
	A mandatory accessory that provides an emergency acoustic signal. Certified per ISO 12402-8.

	Positioning cord	11194
	Certified positioning cord, to be used with the fall-protection harness.	
	Anti-trauma suspension	11193
	Device designed to reduce the negative effects of suspension trauma in the event of a fall.	
	PLB3 AIS	41011
	Return link service (compatible with RLS) Signals at 406. MHz and 121.5 MHz. Integrated AIS alarm. Visibility and strobe light IR.	
	LED light	03030
	Activates automatically upon falling into the water. Visible up to one mile. Certified per SOLAS M.E.D. and USCG approved.	
	Elastic strap 2 aluminium hooks	
	SAFETY STRAP Length: 2 metres Material: Aluminium	
	3 aluminium hooks	
	SAFETY STRAP Length: 1.4-2 metres Material: Aluminium	
	2 steel hooks	
	SAFETY STRAP Length: 2 metres Material: Stainless steel	

UML MK5: Rearming kit (26233), 33-gram cartridge (26038), 38-gram cartridge (26060), 60-gram cartridge
HAMMAR: Rearming kit (26233), 33-gram cartridge (26038), 38-gram cartridge (26060), 60-gram cartridge
M1: Rearming kit (26233), 33-gram cartridge (26038), 38-gram cartridge (26060), 60-gram cartridge
UML MICROMANUAL: Rearming kit (26233), 33-gram cartridge (26038), 38-gram cartridge (26060), 60-gram cartridge



Certified ANSI/ASSE Z359.11-2014 & CE EN 361
Lightweight, practical, and comfortable
workplace fall-protection harness.



The new W480 is a compact tracking device for search and rescue, designed for personal safety.



The world's smallest AIS Man Overboard (MOB) device with integrated VHF DSC



Reduces the risk of secondary drowning caused by inhaling water spray. Improves visibility and aids location of the person overboard.



SAFETY STRAP Length: 2 metres
Material: Aluminium



SAFETY STRAP Length: 2 metres
Material: Stainless steel



SAFETY STRAP Length: 2 metres
Material: Stainless steel



To buy or learn more about this product,
please refer to the QR Code or visit
veleriasangiorgio.com

Member of CIBO Federation

RINA

CERTIFIED MANAGEMENT SYSTEM
ISO 9001

VELERIA
SAN GIORGIO®

LIFEJACKET MANUFACTURER